Monday, 24 August 2020 15:56:32

Payment Verification

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2
Department : Bruhat Bengaluru Mahanagara Palike
Tender Title : Construction of Toilets inside JP Park in ward no 17
Tender Fee (INR) : 1060
EMD Amount (INR) : 50000

EMD and Tender Fee Payment Details

Sl No	Registration No	Supplier Name	Bid Status	Payment Type	Payment Amount	Payment Number	Payment URN	Bank Transaction Ref. No.	Payment Status	Details
1	S15059	Jairam.M ( )	DRAFT	EMD	50000	B3908376/E/N/01	GOK0230522361101		Initiated, UnReconciled, Not Matched	
2			DRAFT	TENDER_FEE	1060	B3908376/T/N/01	GOK0130522361601		Initiated, UnReconciled, Not Matched	
3	S91362	Kumara C (Sri Lakshmi Enterprises)	RECEIVED	EMD	50000	B3909202/E/NB/01	GOK0220522812701		Initiated, UnReconciled, Not Matched	
4			RECEIVED	TENDER_FEE	1060	B3909202/T/NB/01	GOK0120522813001		Initiated, UnReconciled, Not Matched	
5			RECEIVED	TENDER_FEE	1060	B3909202/T/NB/02	GOK0120522813002		Initiated, UnReconciled, Not Matched	
6			RECEIVED	TENDER_FEE	1060	B3909202/T/NB/03	GOK0120522813003		Initiated, UnReconciled, Not Matched	
7			RECEIVED	TENDER_FEE	1060	B3909202/T/NB/04	GOK0120522813004		Initiated, UnReconciled, Not Matched	
8			RECEIVED	EMD	50000	B3909202/E/NB/02	GOK0220522812702	18230244	Verification Successful, Reconciled, Perfect Match	
9			RECEIVED	TENDER_FEE	1060	B3909202/T/NB/05	GOK0120522813005	18230254	Verification Successful, Reconciled, Perfect Match	
10	S21719	N R CHANNEGA RAYA SWAMY (SRI PRAJWAL CONSTRUCTIONS)	DRAFT	EMD	50000	B3908283/E/N/01	GOK0230522347101		Initiated, UnReconciled, Not Matched	
11			DRAFT	TENDER_FEE	1060	B3908283/T/N/01	GOK0130522347601		Initiated, UnReconciled, Not Matched	
12	S48431	Rangashamaiah ( )	RECEIVED	EMD	50000	B3907605/E/NB/01	GOK0220522298201	18226349	Verification Successful, Reconciled, Perfect Match	
13			RECEIVED	TENDER_FEE	1060	B3907605/T/NB/01	GOK0120522299701	CHD8707805	Verification Successful, Reconciled, Perfect Match	

Close

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Tender Title : Construction of Toilets inside JP Park in ward no 17

Work Summary : Construction of Toilets inside JP Park in ward no 17

Bid Items

1 2 3 4 5

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	Rangashamaiah ( )	Kumara C (Sri Lakshmi Enterprises)
1	Earthwork in surface excavation in ordinary soil for levelling and lowering the ground manually (other than foundation of buildings, culverts, road drains and trenches of pipe lines and cables) and removing the excavated stuff to a distance not exceeeding 50 m and lift upto 1.5m, excavated surface levelled and neatly dressed, disposed earth to be levelled after breaking of clods and neatly dressed as per specifications Complete as per the direction of Engineer in Charge with all lead and Lift	1	Cum	169.56	111.4	175.0	181.0
2	Earthwork excavation for foundation of buildings, culverts, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m and above in width, in ordinary soil not exceeding 1.5m in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50m. after breaking of clods complete as per specifications.Complete as per the direction of Engineer in Charge with all lead and Lift	2	Cum	322.92	239.6	330.0	346.0
3	KSRB 4-1.3 : Providing and laying in position plain cement concrete of mix M7.5 with OPC cement @ 180 kgs, with 40mm and down size graded granite metal coarse aggregates @ 0.85 cum and fine aggregates @ 5.75 cum machine mixed, concrete laid in layers not exceeding 15 cms, thick, well compacted, in foundation and plinth, including cost of all materials, labour, HOM of machinery, curing complete as per specification.	3	Cum	5510.16	27.6	5500.0	5896.0
4	Providing and laying in position reinforced cement concrete of design mix M20 with OPC cement @320kgs, with 20mm and down size graded granite metal coarse aggregates @ 0.878cum and fine aggregates @ 0.459cum, with superplastisiser @ 3lts confirming to IS9103-1999 Reaffirmed-2008, machine mixed, concrete laid in layers not exceeding 15cms thick, vibrated for all works in foundation plinth and ground floor level for roof slabs, staircase, lintles, retaining walls, return walls, walls (any thickness) including attached plasters, columns, piers, abutments, pillars, posts, structs, buttresses, string or lacing courses, parpets, coping, bed blocks, anchor, plain window cills, fillets etc., including cost of all materials, labour, HOM of machinery, curing complete as per specification. Complete as per the direction of Engineer in Charge with all lead and Lift	4	Cum	6528.6	64.4	6500.0	6986.0
5	Providing and removing centering, shuttering, strutting, propping etc., an removal of form work for sides & soffits of beams, beam hauncing cantilever girders, bressumers & lintels & not exceeding 1.0 in depth including cost of all materials, labour complete as per specifications.	5	Sqm	315.36	158.2	350.0	337.0
6	Providing and removing centering, shuttering, strutting, propping etc., and removal of form work for flat surface such as suspended floors, roofs, landings, balconies and likes, thickness upto 200 mm including cost of all materials, labour complete as per specifications.	6	Sqm	475.2	355.7	500.0	508.0
7	Providing and laying in position reinforced cement cocnrete of design mix M20 with OPC cement @ 27.20 Kgs with 12mm & down sizes graded grantie metal coarse aggregated @ 0.5865 cum & fine aggregates, @ 0.391 Cum with super super plastisiser @ 0.225 Ltrs maichine mixed well compacted plain chajja 8.50 Cms avg thickness, up to ground floor level including removing centering, shuttering, strutting, propping etc., and removal of form work for cost of all materials, laobur HOM of machinary, curing complete as per specification.Ground floor	7	Sqm	475.2	6.5	500.0	508.0
8	Providing and removing centering, shuttering, strutting, propping etc., for chajjas, corbels of all shapes & sizes, at all elevations & heights.Complete as per the direction of Engineer in Charge with all lead and Lift	8	Sqm	348.84	13	360.0	373.0
9	Providing TMT Steel reinforcement for RCC works including straightening, cutting, bending, hooking, placing in position lapping and / or welding wherever required, tieng with binding wire and anchoring to the adjoining members wherever necessary, complete as per design (laps, hooks and wastage shall not be measured and paid) cost of all materials, labour, HOM of machineries etc., complete as per specifications. Specification No.KBS 4.6.3. FOR TMT Bars Fe- 500 Ground Floor Complete as per the direction of Engineer in Charge with all lead and Lift	9	Tonne	76643.28	6.82	80000.0	82008.0
10	Providing & Constructing Granite/ trap/basalt size stone Masonary in basement with Cement morter 1:8 edges of stone chistle dressed in courses not less than 15 cms high, bond stones at two mtr apart in each course including cost of all materials, labour, curing complete as per specifications Complete as per the direction of Engineer in Charge with all lead and Lift	10	Cum	5921.64	94.3	6300.0	6336.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Tender Title : Construction of Toilets inside JP Park in ward no 17

Work Summary : Construction of Toilets inside JP Park in ward no 17

Bid Items

« ‹ 1 2 3 4 5 › »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	Rangashamaiah ( )	Kumara C (Sri Lakshmi Enterprises)
11	Filling available excavated earth (excluding rock) in sides of foundations upto plinth in layers not exceeding 20 cms. In depth, compacting each deposited layer by ramming after watering with lead upto 50 m. and lift upto 1.5m. Inluding cost of all labour complete as per speicifications.Complete as per the direction of Engineer in Charge with all lead and Lift	11	Cum	217.08	95.9	220.0	232.0
12	Providing and constructing Pre cast solid blocks with Compressive strength not less than 35 kg/ sqm with cement morter 1:4 masonary (quion, Jamb, closer block) with solid concrete blocks of size 40 x 15 x 20 cms confirming to IS 2185/1965 in super structures including cost of materials, labour charges, scaffolding, curing complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift.	12	Sqm	997.92	426	1000.0	1068.0
13	Providing & constructing non load bearing walls cemect concrete solid blocks with compressive strength not less than 35 kg/sqm with cement morter 1:4 (jamb, closer blocks) with blocks of size 40X10X20. (LXBXH) confirming to I.S. : 2185/1965 in super structure including cost of materials, labour charges, scaffolding, curing complete as per specification.Complete as per the direction of Engineer in Charge with all lead and Lift.	13	Sqm	875.88	30.3	1000.0	937.0
14	Providing 18mm thick cement plaster in single coat with cement mortor 1:3 to Brick masonry including rounding off corners wherver required smooth rendering,: Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	14	Sqm	298.08	458.6	320.0	319.0
15	Providing 18mm thick cement plaster in single coat with cement mortor 1:4, to brick masonry including rounding off corners wherver required smooth rendering,: Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications.(internal). Complete as per the direction of Engineer in Charge with all lead and Lift	15	Sqm	281.88	821.5	300.0	302.0
16	Providing 12mm thick cement plaster in single coat with cement mortor 1:3, to celling including rounding off corners wherver required smooth rendering,: Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications. GG. Complete as per the direction of Engineer in Charge with all lead and Lift. Complete as per the direction of Engineer in Charge with all lead and Lift	16	Sqm	253.8	279	300.0	272.0
17	Providing INTEGRAL CRYSTALINE Waterproofing treatment to the sunken portion of toilets. Using Crystalline Slurry of approved make @ 1.40 kg per SQM in two coats (0.7 Kg per coat) confirming to ASTM S 1202 & DINV 18998 standards. Complete as per the direction of Engineer in Charge with all lead and Lift.	17	Sqm	464.4	278.16	600.0	497.0
18	Providing and fixing of factorymade 30 mm P.V.C door frame of size 50x47 mm with a wall thickness of 5 mm made out of extrued 5 mm rigid PVC foamsheet metered cut at cornwers & jointed 2 nos 150 mm long brackets of 15 x 15 mm MS Square tube, the entire door frame to be reinforced with 19 x 19 m square tube of 19 gauge. the door frame to be fixed to the wall using MS screws of 65 /80 mm size complete as per manufacturers specification& directions of Engineer in charge. Complete as per the direction of Engineer in Charge with all lead and Lift	18	Sqm	505.44	45.36	550.0	541.0
19	Providing & fixing 30mm thick factory made rigid foam Panelled Door Shutters made from M.S. tube of 19 gauge thickness, size 19 x 19mm for styles and 15 x 15mm for top and bottom rails, covered with heat moulded PVC channel of 5mm thick sheet & 30 x 50mm wide to form styles & 5mm thick & 75mm wide PVC Sheets for top rail, lock rail & bottom rail on either side & 5mm thick 20mm wide PVC sheet as gap insert for top rail & bottom rail, Panelling of 5mm thick PVC sheet fitted in the M.S. Frame, Sealed to the styles & rails with 5 x 30mm PVC sheet beading on either side & joined together with solvent cement adhesive etc., Complete as per manufacturers specification & direction of Engineer-in-charge fixed to frames with 3 nos of 75 mm Aluminium hinges. GG. Complete as per the direction of Engineer in Charge with all lead and Lift	19	Sqm	2999.16	41.4	2600.0	3209.0
20	Providing and fixing in position in cement concrete 1:3:6 steel glazed windows and ventilators side hung/top hung fully openable as per approved drawings using Z angles of 25x33x3mm, weighing 1.419 kg/m both for outer and inner frames and central mullion section of size 25x46x3mm weighing 2.28 Kg/m duly providing T section 19x19x3mm weighing 0.839 kg/m for glazing of windows not more than 34 cms. c to c including providing and fixing 4mm. thick reeded glass with teakwood beading of required size, all steel sections should confirm to I.S. 7452 : 1990, 4nos, of holdfasts of approved size, section should be cut to length welded and electrically grinded subdividing frames of unit shall be tenonned and revetted into the frames electrically. All the steel surface shall be throughly cleaned free of rust and painted with one coat of anti-corosive paint and finishing with two coats of ready mix paint of approved colour and make including cost of materials, fixtures, labour, and HOM of machinery complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	20	Sqm	4209.84	2.2	4500.0	4505.0

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Tender Title : Construction of Toilets inside JP Park in ward no 17

Work Summary : Construction of Toilets inside JP Park in ward no 17

Bid Items

« ‹ 1 2 3 4 5 › »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	Rangashamaiah ( )	Kumara C (Sri Lakshmi Enterprises)
21	Providing and fixing in position black cuddapah slab / Shahabad Slab/Thandur blue slab 4 cms thick for roofing laid to line and level over wooden rafters or RCC battens pointing exposed joints with cement mortar 1:4 including cost of materials, labour, curing complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	21	Sqm	686.88	43.6	700.0	735.0
22	Providing ceramic tiles of approved make, shade and size for flooring, treads of steps and landings laid on a bed of 12mm thick cement mortor 1:3 mix, flush pointing with white cement using colour pigment, including cost of materials, labour, curing, complete as per specifications. size 30x30cms. Complete as per the direction of Engineer in Charge with all lead and Lift	22	Sqm	1306.8	367	1450.0	1398.0
23	Providing skirting, dado, rises of steps with colour glazed tiles on 10mm thick cement plaster 1:3 and jointed with white cement slurry over rough plaster surface (excluding cost of rough plastered surface which should be measured and paid separately) using glazed tiles of approved make and size including cost of materials, labour, complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	23	Sqm	1377	80.5	1530.0	1473.0
24	Providing and applying two coats with oil bound washable distemper of approved brand and shade on wall surface including priming coat with distemper primer after throughly brooming the surface free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift.	24	Sqm	118.8	741	120.0	127.0
25	Providing and applying two coats with oil bound washable distemper of approved brand and shade on Ceiling surface including priming coat with distemper primer after throughly brooming the surface free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	25	Sqm	127.44	279	127.0	136.0
26	Water proof cement paint KSRB 15-16.1 : Providing and finishing external walls in two coats with waterproof cement paint with primer of approved brand and shade to give an even shade after throughly brooming the surface to remove all dirt and loose powdered material, free from mortar drops and other foreign matter cost of materials, labour, complete as per specifications. (P.No.124/15.53.2) '--do with Primer-- GG. Complete as per the direction of Engineer in Charge with all lead and Lift	26	Sqm	110.16	458.6	115.0	118.0
27	Providing and fixing white vitreous china clay, water closet Indian type (Squatting pan) of size 580mm with footrests, 100mm S or P trap, (approved make) cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	27	Each	1437.48	12	1500.0	1538.0
28	Providing and fixing white vitreous china clay, flat back, lipped front urinal basin of 430x260x350mm with 5 litres PVC automatic flushing cistern, C.I / M.S brackets, standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	28	Each	3317.76	12	3200.0	3550.0
29	Providing & fixing CI Nahani trap of approved make confirming to ISI specification and construction of cistren in M 15 as per directions. Complete as per the direction of Engineer in Charge with all lead and Lift	29	Each	270	8	270.0	289.0
30	Providing and fixing in position CP bib cock of approved quality 20 mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	30	Each	186.84	8	190.0	200.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Tender Title : Construction of Toilets inside JP Park in ward no 17

Work Summary : Construction of Toilets inside JP Park in ward no 17

Bid Items

« ‹ 1 2 3 4 5 › »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	Rangashamaiah ( )	Kumara C (Sri Lakshmi Enterprises)
31	Providing and fixing white vitreous china clay, flat back wash basin size 550x400mm with a single 15mm C.P brass pillar tap with C.I / M.S brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	31	Nos	3262.68	8	3400.0	3491.0
32	Providing and fixing to wall, ceiling and floor , Medium density polyethylene pipes 6.00 kgf /sqcm working pressure	32	Mtrs	352.08	16	360.0	377.0
33	Providing and fixing to wall, ceiling and floor , Medium density polyethylene pipes 6.00 kgf /sqcm working pressure	33	Mtrs	410.4	28	420.0	439.0
34	Providing and fixing to wall, ceiling and floor , Medium density polyethylene pipes 6.00 kgf /sqcm working pressure	34	Mtrs	486	20	500.0	520.0
35	Providing and fixing to wall, ceiling and floor chlorinated poly vinyl chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all cpvc plain and brasss threaded fittings including fixing thepipes with the clamp at 1.00mtr spacing . This includes joining of pipes fittings with one set of cpvc solvent cement and testing of joints complete (Internal works) (Concealed work including cutting chases and good the walls etc.)A)15mm dia pipe nominal OD pipes Complete as per the direction of Engineer in Charge with all lead and Lift	35	Mtrs	222.48	12	240.0	238.0
36	Providing and fixing to wall, ceiling and floor chlorinated poly vinyl chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all cpvc plain and brasss threaded fittings including fixing thepipes with the clamp at 1.00mtr spacing . This includes joining of pipes fittings with one set of cpvc solvent cement and testing of joints complete (Internal works) (Concealed work including cutting chases and good the walls etc.) B)20 mm dia pipe nominal OD pipes Complete as per the direction of Engineer in Charge with all lead and Lift	36	Mtrs	253.8	40	270.0	272.0
37	Providing and fixing in position brass gate valve with C.I wheel of approved quality (screwed end) NB including cost of all materials, labour and HOM of equipments with all leads complete as per specifications. Specification no: KBS 13.2.6/ a) of 20mm dia. Complete as per the direction of Engineer in Charge with all lead and Lift	37	Nos	362.88	12	365.0	388.0
38	Providing and fixing in position brass gate valve with C.I wheel of approved quality (screwed end) NB including cost of all materials, labour and HOM of equipments with all leads complete as per specifications. Specification no: KBS 13.2.6/ b) of 25mm dia. Complete as per the direction of Engineer in Charge with all lead and Lift	38	Nos	484.92	8	490.0	519.0
39	Supplying water storage tanks made of virgin polymer (LLDPE) with two layers outer Black or Blue and inner White layer of approved quality and make, conforming to I.S.I./ISO/SSI specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	39	Nos	5.08	800	6.0	5.0
40	Providing and fixing to wall, ceiling and floor chlorinated poly vinyl chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all cpvc plain and brasss threaded fittings including fixing thepipes with the clamp at . This includes joining of pipes fittings with one set of cpvc solvent cement and testing of joints complete (External works) 20 mm dia pipe nominal OD pipes. Complete as per the direction of Engineer in Charge with all lead and Lift	40	mtrs	157.68	20	160.0	169.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

Scanned with CamScanner

eProcurement

Monday, 24 August 2020 15:57:27

Welcome BASAVARAJU N(E/C) | Supported Browser Versions are: IE11, Mozilla Firefox 47,48,49,50 and 51. | Due to Security reasons, use of multi-tab/multi-instance of browser is disabled in Karnataka Public Procurement Portal. | DashBoard | Blue | English | Logout

My Profile | Indent Management | Tender Management | Catalogue Management | Payment | Catalogue Administration | Contract Management | Auction Management | Project Management | Reservation Allocation

Financial Bid Evaluation of Goods Items

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Tender Title : Construction of Toilets inside JP Park in ward no 17

Work Summary : Construction of Toilets inside JP Park in ward no 17

Bid Items

« ‹ 1 2 3 4 5 › »

Sl No	Item Name	Item Code	Unit	Estimate Rate	Estimate Quantity	Rangashamaiah ( )	Kumara C (Sri Lakshmi Enterprises)
41	Providing and fixing to wall, ceiling and floor chlorinated poly vinyl chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all cpvc plain and brasss threaded fittings including fixing thepipes with the clamp at . This includes joining of pipes fittings with one set of cpvc solvent cement and testing of joints complete (External works) 25 mm dia pipe nominal OD pipes. Complete as per the direction of Engineer in Charge with all lead and Lift	41	mtrs	193.32	80	200.0	207.0
42	Providing and fixing to wall, ceiling and floor , high density polyethylene pipes 6.00 kgf /sqcm working pressure 110 mm outside diameter with special flange, compression type fittings, wall clips, making good the wall, ceiling and floor in b) 110 mm dia. Complete as per the direction of Engineer in Charge with all lead and Lift	42	Mtrs	253.8	20	260.0	272.0
43	Providing stone ware gully trap of approved quality and fixing in C C 1:2:4 and plastering with C M 1:3 where ever necessary (Rate including cost of all materials, fixtures and lead). Size: 15 cm x 10 cm. Complete as per the direction of Engineer in Charge with all lead and Lift	43	Each	205.2	8	215.0	220.0
44	Constructing brick masonry inspection chamber 450x450mm, and 450mm depth, (clear inside dimension) for single pipeline, using table moulded non-modular bricks of class designation 50 in cement mortar 1:5, C.I cover with frame (light duty) 455x450 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23kg and weight of frame 15 kg) R.C.C. top slab with cement concrete M15 with 20mm and downsize granite metal, foundation concrete M5 with 40mm and downsize granite metal inside plastering 12mm thick with cement mortar 1:3, finish smooth with a floating coat of cement on walls and bed concrete complete as per standard design including cost of materials, labour charges, curing complete as per specifications. Complete as per the direction of Engineer in Charge with all lead and Lift	44	Nos	9169.2	8	8800.38	9811.0

Back Export to Excel

This site is best viewed in 1024x768 resolution.

https://eproc.karnataka.gov.in/eprocurement/jsf/tender/commercial_values_for_works.seam?conversationId=18244&conversationIsLongRunning=true

Scanned with CamScanner

020 eProcurement

Monday, 24 August 2020 16:06:25

DashBoard Blue English Logout

Welcome BASAVARAJU N(I/C) Supported Browser Versions are: IE11, Mozilla Firefox 47,48,49,50 and 51. Due to Security reasons, use of multi-tab/multi-instance of browser is disabled in Karnataka Public Procurement Portal.

My Profile Indent Management Tender Management Catalogue Management Payment Catalogue Administration

Contract Management Auction Management Project Management Reservation Allocation

Financial Bid Approval

Tender Details

Tender No. : BBMP/2019-20/BD/WORK_INDENT40630/CALL-2 Department: Bruhat Bengaluru Mahanagara Palike

Tender Description : Construction of Toilets inside JP Park in ward no 17

Select a Supplier

Sl No	Supplier	Total Amount(Including tax)	Total Amount in words	Status	Actions	Select	Evaluator's Remarks
1	Rangashamaiah ( )	4414517.04(L1)	Fourty Four Lakh Fourteen Thousand Five Hundred and Seventeen (dot) Zero Four Only.			Accept Reject	
2	Kumara C (Sri Lakshmi Enterprises)	4499709.84(L2)	Fourty Four Lakh Ninty Nine Thousand Seven Hundred and Nine (dot) Eight Four Only.			Accept Reject	

Attach Documents : Choose File Add

Supported file extension(s) are '.doc, .docx, .xls, .xlsx, .pdf, .zip, .jpg, .jpeg, .gif, .png, .txt and .xml ' and allowed file size is upto 70 MB

Documents : Documents Delete

Close Save and Continue

This site is best viewed in 1024x768 resolution.

https://eproc.karnataka.gov.in/eprocurement/jsf/tender/eval_commercial_bid_lumpsum.seam?conversationId=18609&conversationIsLongRunning=true

Scanned with CamScanner

eProcurement

Saturday, 2 May 2020 11:02:45

Dashboard | Blue | English | Logout

Welcome AEENIVAS M

Supported Browser Versions are: IE11, Mozilla Firefox 47,48,49,50 and 51.

Due to Security reasons, use of multi-tab/multi-instance of browser is disabled in Karnataka Public Procurement Portal.

My Profile | Indent Management | Tender Management | Catalogue Management | Payment | Catalogue Administration

Contract Management | Auction Management | Project Management | Reservation Allocation

My Tenders | My Pre-Qualification Tenders

My Tenders

Recent (DRAFT, INITIAL) Tenders • Search Tenders

Search Tenders

Tender Number:	%40630	Category:	Works
Name:		Status:*	No Bids Received
Tender Published From Date:		Tender Published To Date:	

Search Clear Close

Sl No	Tender Number	Category	Name	NIT Published Date	Actions
1	BBMP/2019-20/BD/WORK_INDENT40630	WORKS	Construction of Toilets inside JP Park in ward no 17	11/03/2020 14:26:55	

This site is best viewed in 1024x768 resolution.

https://eproc.karnataka.gov.in/eprocurement/jsf/tender/search_my_tenders.seam

Scanned with CamScanner